
























<i>Company</i>	<i>Frequency</i>	<i>Models</i>	<i>Photo</i>	<i>Number of different codes that can be learned</i>	<i>Frequency value (cmd=5)</i>	<i>Notes</i>
ADYX	433.920	ALIZE EM2C, ALIZE EM4C		60	2	
		BRAVO TE4433H		40	2	
AETERNA	433.920	TX433 1,2,4 buttons		60	2	
ALLMATIC	306.000	ASMX2, ASMX4		60	8	Original remote controls may be not stable in frequency
		AEMX1, AEMX2, AEMX4		60	2	
	433.920	EUROPE AUTO ARMY1, ARMY2, ARMY4		60	2	
		MX1, MX2, MX4		60	2	
		Allmatic BRO1WN, B.RO2WN, B.RO4WN, B.ROSTAR, B.RO ministar		40	2	
		TECH3, BROOVER, BROSTAR		40	2	
		PASS1, PASS2, PASS4		40	2	
ALLTRONIK	433.920	S429_1, S429_2, S429_4, S429_M		40	2	
		Be sure that your remote operates at 433.92MHz!				
		S425		40	2	
ANSONIC	433.920	SA 434-1E, SA434-2E, SA434-3E, SA434-4E		60	2	
		SA 434-1MINI, SA434-2MINI, SA 434-2Midi		60	2	
	868.350	SA 868-1E, SA 868-2E, SA868-3E, SA868-4E		60	3	
		SA 868-1mini/M, SA 868-2mini/M (dip switch version)		60	3	
APERTO	433.920	CPS1, CPS2, CPS		60	2	
APRIMATIC	433.920	TR2, TR4		40	2	
		TX2M, TX4M		40	2	
AVIDSEN	433.920	100601 micromark MM23164		34	2	
		104505		34	2	

		100951, 100955, 100550, 100400		34	2	
		TOV 4 104700, ASTRELL, 104250, 614700		26	2	
BANDY	433.920			variable	2	Not sure it work, because this is a duplicator: check the original remote control
BELFOX	433.920	DHS433-1, DHS433-2, DHS433-4, dip switch version		60	2	
		DHS 433,92 (7733), dip switch version		60	2	
	868.350	DHS 868,3, dipswitch version		60	3	
		HS 868-20		60	3	
BENINCA'	306.000	LOT1A, LOT2A, LOT4A		60	8	Original remote controls may be not stable in frequency
		LOTX1A, LOTX2A, LOTX4A		60	8	Original remote controls may be not stable in frequency
		LO.TX2PS		60	8	Original remote controls may be not stable in frequency
	433.920	LOT1W, LOT2W, LOT4W		60	2	
		LOT2WMS		60	2	
		T2WK, T4WK		60	2	
		LOTX1W, LOTX2W, LOTX4W		60	2	
		TO.GO2WP, TO.GO4WP, TO.GO2WK, TO.GO4WK		60	2	
		IO.COLOURS, IO.GREY, TO.GO2WV, TO.GO4WV, APPLE.2, APPLE.4 benincÃ cupido CU.2NWV, CU.2RWV, CU.4NWV, CU.4RWV benincÃ T2WV, T4WV BenincÃ ROLLKEY	Several images	40	2	
		BERNER	868.300	Berner BHS140		30
Berner BHS130		34		3	Firmware Rev.03d or later	

BESIDE	433.920	BEZAP		60	2	
		HIT		60	2	
BETA ELETTRONICA	315.000	BETALARM 6500		60	4	Original remote controls may be not stable in frequency
	330.000	BETALARM 5500		60	11	Original remote controls may be not stable in frequency
BFT	306.000	RCS		60	8	Original remote controls may be not stable in frequency
	315.000	VTM1, VTM2, VTM4		60	4	Original remote controls may be not stable in frequency
	418.000	GT01, GT02, GT04		60	14	
	433.920	TE01, TE02 (TEO1, TEO2)		60	2	
		TE04 (TEO4)		60	2	
		BFT MITTO 2, MITTO 4, MITTO-2A, BFT MITTO-4A, MITTO-2M, MITTO-4M BFT TRC 1, TRC 2, TRC 4		40	2	
BREDA	433.920	Breda TOP432SA	Like CAME TOP432SA, blue	60	2	
CAME	315.000	Came T312M, T314M		60	4	Original remote controls may be not stable in frequency
		Came TOP312, TOP314		60	4	
		Came TOP312NA, TOP314NA		60	4	
	433.920	Came T432, T434 Came TOP432A, TOP434A, TOP432, TOP432NA, TOP434NA, Came Came TAM432, TAM434, TAM438		60	2	
		Came TOP432M, TOP434M		60	2	
		Came TAM432SA		48	2	
		Came TOP432SA		60	2	
		Came TOP432NA, TOP434NA		60	2	
Came TWIN2, TWIN4		60	2			






















		CAME TOP-432EV, TOP-434EV		60	2	
	868.350	CAME TOP862NA, Came TOP864NA		60	3	
CARDIN	300.000	S300		60	6	Original remote controls may be not stable in frequency
	310.000	S301, S302		60	9	Original remote controls may be not stable in frequency
	433.920	S476 TX2, S476TX4		48	2	
CASALI GENIUS	330.000			60	11	Original remote controls may be not stable in frequency
	433.920	Genius 433 2, Genius 433 3, JA400 TM433, JA401 TM433		60	2	
		Genius A252, A254		40	2	
	868.350	Genius Amigo JA332, JA334, JA332 grey, JA334 grey		40	3	
CASIT	306.000	ERTS92B, ERTS92T		60	8	Original remote controls may be not stable in frequency
	433.920	ERTS92B, ERTS92T		60	2	
		ERTS20DB, ERTS20DQ		60	2	
		ERTS476D, ERTS476Q		60	2	
		TXS1, TXS2, TXS3, TXS4, TXS6 ERTS97B, ERTS97T		60	2	
CEDAMATIC	433.920	Cedamatic AEMX1, AEMX2, AEMX4		60	2	
CELINSA	433.920	S10 1, S10 2, SAW1, SAW2		48	2	
CENTURION	433.920	CLASSIC, SMART, SMART2		60	2	
CHAMBERLAIN LIFTMASTER MOTORLIFT SEARS CRAFTSMAN	300.000	Chamberlain 300MC (multicode)				Not supported yet!
	315.000	333LM				Not supported yet!
		360LM, 362LM, 363LM				Not supported yet!
	390.000	50CB, 53CB, 750CB, 753CB, 50LM, 53LM, 61LM, 62LM, 63LM, 139.53100, 139.53110, 139.53200, 139.53210				Not supported yet!


		54CB, 756CB, 54LM, 64LM, 859CB				Not supported yet!
		850CB, 853CB, 959CB, 81LM, 82LM, 83LM, 84LM, 99LM				Not supported yet!
		33LM				Not supported yet!
	418.000	4180, 4182, 4183				Not supported yet!
		4185				Not supported yet!
		787 remote less entry				Not supported yet!
	433.920	4330E, 4332E, 4333E				Not supported yet!
		4335E				Not supported yet!
CPS	433.920	TCP3, CPS, Jolly 4		60	2	
		CPS1 TCP3, CPS2 TCP3, CPS4 TCP3 EM1CV, EM2CV, EM4CV		60	2	
DASPI	433.920	Daspi Happy2 433, Daspi Pops2		60	2	
		Daspi Zero2, Zero2CLO, Zero4CLO		60	2	
		Daspi Zero2RC Daspi Zero4RC		40	2	
DEA	306.000	306 1, 306 2, 306 4		60	8	Original remote controls may be not stable in frequency
		306		60	8	Original remote controls may be not stable in frequency
	433.920	433 1, 433 2, 433 4, Gold S1, Gold S2 Dea Gold 238 S1, Dea Gold 238 S2, Dea Gold 239 S4		60	2	
		Dea Gold 288-R2, Dea Gold 289-R4		40	2	
		Genie		60	2	

		Punto S2		60	2	
		Dea MIO TD2, MIO TD4		60	2	
		Dea MIO TR2, MIO TR4		40	2	
DELMA	300.000	Apollo 300, ELSAMEC Apollo 300		60	6	Original remote controls may be not stable in frequency
		Mizard 300 1, Mizard 300 2, King		60	6	Original remote controls may be not stable in frequency
	433.920	Mizard 433 1, Mizard 433 2		60	2	
		King 433 2		60	2	
		Style Copy 2CH (this is a code duplicator)		60	2	
DICKERT	433.920	Dickert MAHS433 01, MAHS433 04 Note: we can NOT guarantee that it can be duplicated, because it depends by the receiver.				Not supported yet!
		Dickert S10-433A1L00, S10-433A4L00, S20-433A1L00, S20-433A4L00, S20-433A1000, S20-433A4000 Note: only RED buttons model can be duplicated!		60	2	
		Dickert S5-433-A2L00, S5U-433-A2L00 Note: only RED buttons model can be duplicated!		60	2	
	868.350	Dickert HS868-21 Note: only RED buttons model can be duplicated!		60	3	
		Dickert S5-868A2L00, S5U-868A2L00 Note: only RED buttons model can be duplicated!		60	3	
		Dickert S10-868A100, S10-868A400, S20-868A1L00, S20-868A4L00, S20-868A1000, S20-868A4000 Note: only RED buttons model can be duplicated!		60	3	
		Dickert S5-868A2L01, S10-868A1L01, S10-868-A4L06, green buttons		34	3	Firmware Rev.03c or later
DIGICODE	300.000 310.000	DC5010, DC5012, DC5030, DC5032, DC5040, DC5042, DC5060, DC5062, DC5070, DC5072		60	6 or 9	Original remote controls may be not stable in frequency
DITEC	433.920	GOL4C		60	2	
		GOL4		34	2	

		BIX LS2, BIX LP2, BIX LG4		34	2	
DOITRAND FDOITRAND	433.920	MPSTF2E JAUNE, MPSTF4E, HYPERPHONE MPSTF2E_GRISE		60	2	
		TS2DE, TS4DE		60	2	
DOORHAN	433,920			40	2	
DOORMATIC	433.920	SAW		60	2	
DUCATI ALLDUCKS	433.920	TSAW1, TSAW2, TSAW3, TSAW4, 124 ELBER TSAW1, TSAW2, TSAW3, TSAW4 RONDY TSAW1, RONDY TSAW2, RONDY TSAW3		60	2	
		TPR10-A, TPR20-A RONDY TPR10_A, RONDY TPR20_A		60	2	
		TE2		60	2	
		6203blue and transparent, with transparent buttons		60	2	
		6203, with blue or red buttons		40	2	
HC6204		40	2			
DÄœWI DUWI REV Ritter	433.920	Several models, handsender used for radio sockets		60	2	
ELBE	433.920	501, 502, 504		60	2	
		502a, 504a		60	2	
		502, 504		60	2	
ELCA	300.000	Aster 1100, Aster 1101		60	6	Original remote controls may be not stable in frequency
	433.920	IRIS, IRIS 9CH. Both colors red and blue		60	2	
		ASTER2		60	2	
		Aster 1000, Aster1001. Colors: black, blue, light grey		60	2	
		GEMINI 9CH		60	2	
VIRGO		60	2			
ELDAT MFZ	433.920	Eldat Basewave RT20-4103M-01, RT20-4104M-01, RT35-4104M-01, RT21-4101M-01, RT21-4102M-01, MFZ 400033			2	

		Eldat Basewave RT28-4101M-01, RT27-4101M-01, RT26-4101M-02, RT21-4125M-01, RT21-4139M-01, RT21-4139M-02, RT31-4139M-01, RT31-4139M-02, RTC02-4104M-01			2	
	868.300	Eldat Basewave RT20-5004M-01, RT20-5003M-01, RT35-5004M-01, RT21-5001M-01, RT21-5002M-01			3	
		Eldat Basewave RT28-5001M-01, RT27-5001M-01, RT26-5001M-02, RT21-5025M-01, RT21-5039M-01, RT21-5039M-02, RT31-5039M-01, RT31-5039M-02, RTC02-5004M-01			3	
ELV CONRAD	868.350	FS20 S4, FS20 S8, FS20 S8-2, FS20 S16, FS20S16R, FS20 S20-2, FS20 S20-3		24	3	
ELVOX	433.920	Elvox ET		60	2	
		Elvox ET03, ET04		60	2	
		Elvox ERT01		40	2	
	868.350	Elvox ET08		60	3	
ERONE	433.920	SETDS39433E2, SETDS39433E4		60	2	
		Erone SETR2641-AM2.B, SETR2641-AM2.N, SETR2641-AM2.R, SETR2641-AM2.C, SETR2641AM1, S5TR2641E2, S5TR2641E4, S2TR2641-E2M, SETR2641-TM, TSW2641E1		40	2	
	868.350	Erone S2TR2681-E2, 2TR2681-E4, 2TR2681-E2M		40	2	
ERREKA	433.920	Erreka LUNA, SMAT RESON 1, RESON 2, Erreka RESON 3	 	48	2	
		Erreka ROLLER-1, ROLLER-2, Erreka ROLL-2 JOY, Erreka Roll-4 JOY, Erreka LIRA, Erreka IRIS 2, IRIS 4	   	40	3	
	868.300	Erreka Roller 1 868, Roller 2 868, Erreka Roller 4 868	 	40	4	
EUROPE AUTOMATISME	306.000	ASMY1, ASMY2, ASMY4		60	8	Original remote controls may be not stable in frequency
	433.920	ARMY1, ARMY2, ARMY4		60	2	




















		S1, S2, S3		60	2	
FAAC	300.000	Faac TM300S, TM300S05 H Faac TM1 300, TM2 300, TM3 300		34	6	Original remote controls may be not stable in frequency
	315.000	Faac T1, T2, T3 Faac TM1 315, TM2 315, TM3 315		34	4	Original remote controls may be not stable in frequency
	330.000	Faac TM1, TM2, TM3 Faac TM1 330, TM2 330, TM3 330		34	11	Original remote controls may be not stable in frequency
	418.000	Faac TM1 418 DS, TM2 418 DS, TM3 418 DS		34	14	
		Faac TM 418SL, TM1 418SL, TM2 418 SL, TM3 418SL		34	14	
	433.920	Faac TM1 433 DS, TM2 433 DS, TM3 433 DS TM1 433DS DPH, TM2 433DS DPH, TM3 433DS DPH		60	2	
		Faac TML2 433 SLR, TML4 433 SLR, TML2-433-SLR, TML4-433-SLR, TML2 433 ESL, TML4 433 ESL		34	2	
		Faac TML2 433 SLP, TML4 433 SLP, TML2-433-SLP, TML4-433-SLP		34	2	
		Faac T2 433 SLH, Faac T4 433 SLH		40	2	
		Faac TE4433H		40	2	
		Faac TML2 433 SLH, TML4 433 SLH		40	2	
		Faac XT2 433 SLH, XT4 433 SLH		40	2	
	868.350	Faac TM1 868 DS, TM2 868 DS, TM3 868 DS Faac TM1 868DS DPH, TM2 868DS DPH, TM3 868DS DPH		60	3	
		Faac T2 868 SLH, Faac T4 868 SLH		40	3	
		Faac TML2 868 SLH, TML4 868 SLH		40	3	
Faac XT2 868 SLH, Faac XT4 868 SLH			40	3		
Faac DL2 868 SLH, DL4 868 SLH			40	3		
FADINI BPT	315.000	ASTRO75-1, ASTRO75-2, ASTRO75-4		60	4	Original remote controls may be not stable in frequency
	433.920	433 2M, Astro43_2m		60	2	
		Astro433-2, Astro433-4, Astro43-2, Astro43-4		60	2	

		Fadini JUBI 433/2, JUBI 433/4, Fadini JUBI SMALL 433/2		40	2	
		Fadini SITI 2, Fadini SITI 4		40	2	
	868.350	Fadini BIRIO 2, Fadini BIRIO 4		40	3	
FERPORT	433.920	Tac1, Tac2, Tac4, Tac1k, Tac2k, Tac4k, Tac2kr		60	2	
FUNKMODUL	433.920	T433A2K1, T433A2K2		60	2	
ELSECO		T433A2K4, T433A2K4n		60	2	
GIBIDI	306.000	TS2M		60	8	Original remote controls may be not stable in frequency
	433.920	Open TMB 433, OPEN TMQ 433, OPEN OUT 2, OPEN OUT 4		60	2	
		Gibidi Domino, AU1600, AU1610, AU1680, AU1680 wood, AU1810		40	2	
GOBBATO	306.000	T306		60	8	Original remote controls may be not stable in frequency
	433.920	TRA3S		40	2	
GRIFFON	403.55	Griffon 404 MHz dip switch remotes and duplicating remotes		60	13	
	433.92	Griffon 433 MHz dip switch remotes and duplicating remotes		60	2	
GTO	318.000	GTO Mighty Mule 1/2 buttons, RB741, RB742				Not supported yet!
		GTO Mighty Mule 3 buttons, RB743				Not supported yet!
GULLIVER	306.000	MDRQ 306		60	8	Original remote controls may be not stable in frequency
	433.920	MDW 2E		60	2	
HAUSS	433.920	Pocket 3750-1, Pocket3750-2, Pocket 3750-4		60	2	
HEDDOF	318.000	P219-1, P219-2				Not supported yet!
		P220-1, P220-2, P220-3				Not supported yet!

HORMANN HOERMANN	433.920	HSM2, HSM4, yellow buttons		30	2	
	868.300	HS1, HS2, HS4, blue buttons		30	3	
		HSD2		30	3	
		HSE2, HSE4, blue buttons		30	3	
		HSM2, HSM4, blue buttons		30	3	
		HSP4, blue buttons		30	3	
		HSS2, HSS4, blue buttons		30	3	
		HSZ1-868, HSZ2-868		30	3	
HRC	433.920			60	2	
JAY	433.920	UBEI x1 SL1		60	2	
		UBET 11, UBET 21, UBET 31, UBET 41, UBET 61		60	2	
KEY AUTOMATION	433.920	900TXB-42, 900TXB-42N, 900TXP-42, 900TXP-42N		60	2	
		900TXB-44, 900TXG-44		60	2	
		900SUB-44, 900SUB-44N, 900SUB-44W, 900SUB-44WN		60	2	
		900TXK-42, 900TXW-42, 900TXK-44, 900TXW-44		60	2	
		Key TXB-42R, TXP-42R TXG-42R, TXG-44R, TXB-42R, TXB-44R SUB-44R TXW-42R, TXW-44R, TXK-42R, TXK-44R		40	2	
KING	433.920					Not yet supported!
LABEL IUPPITER	306.000	MDR, IUPPITER 306		60	8	Original remote controls may be not stable in frequency
	433.920	RJW/1E, RJW/2E, RJW/4E, RJW/12E		60	2	
		MDW/1E, MDW/2E		60	2	
		SPYCO1, SPYCO2, SPYCO3		40	2	

















LEB	306.000	TSA4		60	8	Original remote controls may be not stable in frequency
	433.920	TMW		60	2	
		TSAW2N, TSAW4N		60	2	
		TCP3Ãƒâ€š (this is a code duplicator)		Variable	2	Not sure it work, because this is a duplicator: check the original remote control
		TRK4		60	2	
	868.300	TPW4		60	2	
	868.300	TPK4		60	3	
LINCE	433.920	LR 2035		60	2	
LINEAR	300.000 310.000	MULTI-CODE 308911, 308913, 1089		60	6 or 9	Original remote controls may be not stable in frequency
		MULTI-CODE 412001, 414001, 109410, 109710		60	6 or 9	Original remote controls may be not stable in frequency
		MULTICODE 306010, 307010, 108210		60	6 or 9	Original remote controls may be not stable in frequency
		MULTI-CODE 308301, 308302		60	6 or 9	Original remote controls may be not stable in frequency
		MULTI-CODE 105015		60	6 or 9	Original remote controls may be not stable in frequency
	310.000	Delta3 Moore-o-Matic: DT, DT2, DT2A, DT22A, DTC, DTD		60	9	Not supported yet!
		Delta 3 Moore-o-Matic: DT3, DT4		60	9	Not supported yet!
Delta 3 Moore-o-Matic: Mini-T LB "LadyBug"			60	9	Not supported	

	312.000	Delta3 DTK (canada)				yet! Not supported
MA SYSTEM	433.920	MA TX1, MA TX2, MA TX3		60	2	
MARANTEC	418.000	D212, D222, D232		34	14	
	433.920	D101		60	2	
		D12		60	2	
		D212, D222, D232		60	2	
		Digital 302, D302		34	2	
	868.300	Digital 304, D304		34	2	
		Digital 302, D302		34	3	
		Digital 304, D304		34	3	
MCZ	433.920	Aster		60	2	
MEIÄfÆ'Ã...Â,NER MEISSNER	433.920	LW433-1, LW433-2, LW433-4		60	2	
		Pocket 3750 1, 2, 4		60	2	
MONSEIGNEUR	433.920	ARC2, ARC4		60	2	
		TDR 400 3845, TDR 400 3846, TDR 400 3847 T1SAW433, T2SAW433, T4SAW433		60	2	
MOTORLINE STATEUROP	433.920	MX1, MX2, MX3, MX4, MX6 MX11, MX12, MX13		60	2	
MOTOSTAR	433.920	CLIKSTAR2, CLICKSTAR4 CLICK-4M, CLICKSTAR RE 532, CLICKSTAR RE 534		60	2	
NICE	306.000	EASY S1, S2, S4		60	8	Original remote controls may be not stable in frequency
	433.920	FLO1, FLO2, FLO4		60	2	
		VERY VE		60	2	
NOLOGO	306.000			60	8	Original remote controls may be not stable in frequency
	433.920	ECO DIP		60	2	
NOVOTECNICA	306.000	BIT N1, BIT N2		60	8	Original remote controls may

						be not stable in frequency
		BIT NT1, BIT NT2, BIT NT4		60	2	
OG	433.920	OG62, OG64		34	2	
O&O OeO O and O	360.000	OeO TX2, OeO TX4 (green buttons)		60	8	Original remote controls may be not stable in frequency
	433.920	OeO TX2-E, OeO TX4-E (red buttons)		60	3	
		T-COM DS 4-2, T-COM DS 4-4		60	2	
		OeO T-COM R4-2, O&O TCOM R4-4		40	2	
	868.350	OeO ELIOT 2 - R4, O&O ELIOT 4 - R4		40	2	
OPENOUT	306.000	TS2M		60	8	Original remote controls may be not stable in frequency
	433.920	TMQ 433 2, TMQ 433 4		60	2	
PIAZZETTA	433.920	4 buttons for wood/pellet heater		60	2	
PORTAMATIC	433.920	MPH01, MPH02		60	2	
POWERFIX Profi (Lidl)	433.920	RCB-A 3600R		60	2	
PRASTEL	306.000	NCSMT1, NCSMT2P, NCSMT4P		60	8	Original remote controls may be not stable in frequency
		KMFT2P, KMFT4P, KMFT2P93, KMFT4P93		60	8	Original remote controls may be not stable in frequency
	433.920	MPSTF2E, MPSTF4E		60	2	
PROEM	433.920	ER2C4ACM, ER4C4ACM		60	2	
PROGET	433.920	ETY_433N2, ETY 433N4		60	2	
		EMI433-N2		60	2	
PROTECO	433.920	TX433		60	2	

		EUROMATIC		60	2	
		HIT		60	2	
PUJOL	288.000	JCM TRINARIO 1, TRINARIO 2, TRINARIO 3		60	5	Original remote controls may be not stable in frequency
	288.000	TT1, TT2, TRINARIO 1, TRINARIO 2		60	5	Original remote controls may be not stable in frequency
PULSAR	318.000	9931-318, 9931T-318				Not supported yet!
QUASAR	433.920	433 TANGO SLIM BLEU		40	2	
QUICK	433.920	Model: 302		60	2	
ROGER	433.920	R80/TX12, R80/TX14, R80/TX12R, R80/TX14R		40	2	
		H80/TX22				
		G80/TX32, G80/TX34, G80/TX32R, G80/TX34R				
SEA	433.920			60	2	
		SMART433_TX2, SMART433_TX3 SMART433_TX2_COPY, SMART433_TX3_COPY Smart2, Smart3		60	2	
	868.350	231103, SEA868_4		60	3	
		231103, Head2 Dip Switch		60	3	
		SMART868-TX2, SMART868-TX3 Smart2, Smart3		60	3	
SEAV	306/330	TX1, TX2, TX3, TX4, TX1/330 TX2/330, TX3/330, TX4/330		60	8	Original remote controls may be not stable in frequency
	433.920	TXS1, TXS2, TXS3, TXS4		60	2	
		Behappy S1, Behappy S2, Behappy S3		60	2	
		Seav Behappy RS1, Behappy RS2, Behappy RS3		40	2	
		Be Easy TX, Be Easy Murale2		60	2	
		BeSmart S2, BeSmart S4		60	2	
		BeFree S1		60	2	
	868.300	BeSmart H2, BeSmart H4		60	3	
		BeFree H1		60	3	

SECURVERA	433.920	SV R2C		60	2	
		SV R2C		60	2	
		SV R4C		60	2	
		SV R6C		60	2	
SENDER	433.920			60	2	
SENTRY MARTIN ELECTRONICS	403.550	SENTRY binary, SENTRY trinary		60	13	
	433.920	SENTRY binary		60	2	
SERAI	310.000	OG/32		34	9	Original remote controls may be not stable in frequency
		OG/52, OG/54, OG/82, OG/84		34	2	
	433.920	OG/28, OG/48, OG/62, OG/64		34	2	
		OG/02, OG/04		34	2	
SICE	433.920	TX4 CLACK Bigfoot				Not supported!
SILVELOX - INTRA	306.000	Green case with black buttons		60	8	Original remote controls may be not stable in frequency
	433.920	Silvelox Intra HSM4		30	2	
SIMBA	433.920	Simba RC1, Simba RC4		60	2	
SIMINOR	433.920	ER2C4ACM, ER4C4ACM, ER2C4ACS, ER4C4ACS		60	2	
SKYLINK	300.000 310.000	MultiLink SD300M, Skylink 100, LD310M, SD310M		60	6 or 9	Original remote controls may be not stable in frequency
	318.000	Skylink Mtilink PD-318M				Not supported yet!
	390.000	Multilink CB-390M, CD-390M (versions compatible with Chamberlain)				Not supported yet!
SMD	433.920	LW433-1, LW433-2, LW433-4 : AM models only		60	2	
SOMFY	433.920	LEB TMW		60	2	
STAGNOLI	433.920	ZEUS AZTR		60	2	

	868.350	ZEUS AZTR		60	3	
STANLEY	310.000	24286		60	9	Original remote controls may be not stable in frequency
		1082		60	9	Original remote controls may be not stable in frequency
		1050		60	9	Original remote controls may be not stable in frequency
		1094		60	9	Original remote controls may be not stable in frequency
		1097		60	9	Original remote controls may be not stable in frequency
STARTEC	433.920	TXQ2		60	2	
STINGER	300.000 310.000 318.000 390.000	300MCD21V, 300MCD22V 310MCD21V, 310LID21V, 310LID22V 318ALD31V 390LMD21V, 390LMPB1V	 diff. colors			This is a compatible remote control: please look for the compatibility of the original retmotes!
TAU	315.000	250 TXA2, 250 TXA4		60	4	Original remote controls may be not stable in frequency
		433.920	250 SLIM, 250K-SLIM, 250K-SLIMC		60	2
	250TXD2, 250TXD4			60	2	
	250BUG2, 250BUG4			60	2	
	250T-4, 250T-4C			60	2	
TEC KEY	300.000	MK1010		60	6	Original remote controls may be not stable in frequency
TECNOMATIC	433.920	TQ433		60	2	
TEDSEN BERNER	433.920	SKX1MD, SKX2MD, SKX3MD, SKX4MD		60	2	

GFA Elektromaten		SKX1KD, SKX2KD, SKX4KD, SKX6KD		60	2	
		SKX1DL, SKX2DL, SKX3DL, SKX4DL		60	2	
		SKX1LC, SKX2LC, SKX3LC, SKX4LC		60	2	
		SKX1SL, SKX2SL, SKX3SL, SKX4SL		60	2	
		SKJ		60	2	
		SKX1WD, SKX2WD, SKX4WD, SKX11WD, SKX22WD, SKX44WD		60	2	
TELCOMA	306.000	RCST2, RCST4		40	8	Original remote controls may be not stable in frequency
	433.920	TELCOMA EDGE 2, TELCOMA EDGE 4		40	2	
		TELCOMA TANGO 2 SW, TANGO4 SW		40	2	
		TANGO BLUE 2, TANGO 4 BLUE, TANGO BLEU 2, TANGO BLEU 4		40	2	
		TANGO 2 N, TANGO 4 N		40	2	
		TANGO 2 SLIM, TANGO 4 SLIM		40	2	
		Telcoma Noire2, Noire4		34	2	
		TANGO WIN3		40	2	
TANGO2, TANGO4		40	2			
TELECO	433.920	Teleco TXP433A01 Teleco TXR434A02 Teleco TXR433A01, TXR433A02, TXR433A04 Teleco TXW433A02, TXW433A04 Teleco TXK433A04	 	40	2	
TELEMATIC	300.000	TL1, TL2		60	6	Original remote controls may be not stable in frequency
TKC	433.920	TSAW433		60	2	
TORAG	433.920	S429 1, S429 2, S429 4		60	2	
TORMATIC DORMA NOVOFERM	433.920	HS, Dorma HS43 1E, HS43 2E, HS43 3E, HS43 4E		60	2	
		MAHS, Siebau, Novoferm, Dorma		60	2	
		MHS, MHS43-1		60	2	

		Tormatic Novoferm Novotron 502 Tormatic Novoferm Novotron 504 MCHS43, MNHS433-02, MNHS433-04		40	2		
TREMA	433.920	TO93TV1, TO93TV2, TO93TV4		60	2		
TUBAUTO	433.920	DIGITAL 101 433		60	2		
V2	306.000	TRR1_306		60	8	Original remote controls may be not stable in frequency	
	318.000	TPS1K		60	10	Original remote controls may be not stable in frequency	
	433.920		PHOENIX series: Phoenix2, Phoenix2P, Phoenix4, Phoenix4P, TXC2 Contr.47, TXC4 Contr.47, Handy2 Contr.47, Handy4 Contr.47, TRC4 Contr.47, TSC4 Contr.47 .		34	2	
			TCP3		60	2	
			TCP3, ARC3		60	2	
			TCP3		60	2	
			TPR		60	2	
			T1SAW/433, T2SAW/433, T4SAW/433		60	2	
			TRR1, TRR2, TRR4		60	2	
			PMR2, PMR4		60	2	
868.300	PHOENIX series: Phoenix2-868, Phoenix2P-868, Phoenix4-868, Phoenix4P-868.		34	3			
VISONIC	315.000	WT100, WT100A, WT101, WT101A, WT102, WT104, WT-201, WT-201A, WT-201WP, WT-201AWP		60	4		
	418.000	WT-100, WT-100A, WT-101, WT-101A, WT-102, WT-104, WT-201, WT-201A, WT-201WP, WT-201AWP		60	14		
	433.920	WT 100, WT 100A, WT 101, WT 101A, WT 102, WT 104, WT 201, WT 201A, WT 201WP, WT 201AWP		60	2		

VSEG	433.920	CR SLIM		60	2	
WAINE-DALTON	433.920	S429-1, S429-2, S429-4, S429-mini		48	2	
		S425		48	2	
WECLA CDS	433.920	433, 433_2		60	2	
ZULLAN	315.000	250TXA1H, 250TXA2H, 250TXA4H		60	4	Original remote controls may be not stable in frequency
OEM	315.000			60	4	Original remote controls may be not stable in frequency